

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-5: (canceled)

6 (currently amended): A curable composition comprising:

a) ~~a the reaction product in which the reactants comprise of claim 1; and~~

i) an isocyanurate,

ii) a hydroxyalkyl carbamate,

iii) an aldehyde, and

iv) at least one monohydric alcohol; and

b) at least one polymer having functional groups that are reactive with the reaction product of a).

7 (original): The curable composition of claim 6, wherein the reaction product is present in an amount of 1 to 99 percent by weight based on the total weight of resin solids in the curable composition.

8 (original): The curable composition of claim 6, wherein the polymer is present in an amount of 1 to 99 percent by weight based on the total weight of resin solids in the curable composition.

9 (original): The curable composition of claim 6, wherein the polymer has functional groups selected from the group consisting of hydroxyl, carboxylic acid, amide, thiol, urea, carbamate, thiocarbamate, and mixtures thereof.

10 (original): The curable composition of claim 9, wherein the polymer is selected from the group consisting of acrylic, polyester, polyether and polyurethane polymers including mixtures thereof.

11 (currently amended): A curable composition comprising:

- a) the reaction product of claim 46, present as a crosslinking agent in an amount of 1 to 99 percent by weight based on the total weight of resin solids in the curable composition; and
- b) a polymer having functional groups that are reactive with the crosslinking agent present in an amount of 1 to 99 percent by weight based on the total weight of resin solids in the curable composition.

12 (original): The curable composition of claim 11, further comprising an auxiliary crosslinking agent, present in amounts of 1 to 50 percent by weight based on total weight of resin solids in the curable composition.

13 (original): The curable composition of claim 12, wherein the auxiliary crosslinking agent is a polyisocyanate.

14 (original): The curable composition of claim 13, wherein the auxiliary crosslinking agent is a polyisocyanate, wherein at least a portion of the isocyanate groups are capped.

15 (original): The curable composition of claim 12, wherein the auxiliary crosslinking agent is an aminoplast.

16 (original): The curable composition of claim 11, wherein the polymer of (b) is an acrylic polymer.

17 (original): The curable composition of claim 11, wherein the crosslinking agent of a) is present in an amount of 1 to 50 percent by weight based on the total weight of resin solids in the curable composition.

18 (original): The curable composition of claim 15, wherein the auxiliary aminoplast crosslinking agent is present in an amount of 1 to 35 percent by weight based on the total weight of resin solids in the curable composition.

19 (original): The curable composition of claim 16, wherein the acrylic polymer is present in an amount of 20 to 85 percent by weight based on the total weight of resin solids in the curable composition.

20 (original): The curable composition of claim 16, wherein the acrylic polymer has hydroxyl functional groups.

21 (original): The curable composition of claim 20, wherein the acrylic polymer contains beta hydroxy ester groups.

22 (original): The curable composition of claim 21, wherein the acrylic polymer is prepared from the following ingredients:

- 1) 1 to 70 percent by weight of an ethylenically unsaturated, beta-hydroxy ester functional monomer;
- 2) 5 to 50 percent by weight, based on the total solid weight of monomers used to prepare the polymer, of an ethylenically unsaturated, hydroxyalkyl functional monomer different from the beta-hydroxy ester functional monomer of 1);
- 3) 0 to 40 percent by weight, based on the total solid weight of monomers used to prepare the polymer, of a vinyl aromatic monomer;
- 4) 0 to 60 percent by weight, based on the total solid weight of monomers used to prepare the polymer, of at least one alkyl ester of acrylic acid or methacrylic acid; and
- 5) 0 to 20 percent by weight, based on the total solid weight of monomers used to prepare the polymer, of at least one ethylenically unsaturated monomer different from 1), 2), 3), and 4) above.

23 (original): The curable composition of claim 22, wherein the ethylenically unsaturated, beta-hydroxy ester functional monomer is selected from the group consisting of:

- a) a reaction product of an ethylenically unsaturated, epoxy functional monomer and a saturated carboxylic acid having 1 to 20 carbon atoms; and

b) a reaction product of an ethylenically unsaturated acid functional monomer and an epoxy compound containing at least 4 carbon atoms which is not polymerizable with the ethylenically unsaturated acid functional monomer.

24 (original): The curable composition of claim 22 in which 4) comprises up to 30 percent by weight based on total solid weight of monomers, of an alkyl ester of acrylic or methacrylic acid having 4 to 18 carbon atoms.

25 (original): The curable composition of claim 23, wherein the ethylenically unsaturated, beta-hydroxy ester functional monomer is derived from an ethylenically unsaturated, epoxy functional monomer and a saturated carboxylic acid having 13 to 20 carbon atoms.


26 (original): The curable composition of claim 25, wherein the ethylenically unsaturated, beta-hydroxy ester functional monomer is derived from glycidyl methacrylate and isostearic acid.

27 (original): The curable composition of claim 23, wherein the ethylenically unsaturated, beta-hydroxy ester functional monomer is derived from an ethylenically unsaturated acid functional monomer and an epoxy compound containing at least 4 carbon atoms which is not polymerizable with the ethylenically unsaturated acid functional monomer.

28 (original): The curable composition of claim 23, wherein the ethylenically unsaturated, beta-hydroxy ester functional monomer is present in the polymer in an amount of about 20 to about 55 percent by weight, based on the total solid weight of monomers used to prepare the polymer.

29 (original): The curable composition of claim 27, wherein the ethylenically unsaturated, acid functional monomer is selected from the group consisting of acrylic acid, methacrylic acid, methacrylic anhydride, itaconic acid, and mixtures thereof.

30 (original): The curable composition of claim 27, wherein the epoxy compound has the following structure



wherein R is a hydrocarbon radical containing from 4 to 26 carbon atoms.

31 (original): The curable composition of claim 30, wherein R is a tertiary aliphatic group of 8 to 10 carbon atoms.

32 (original): The curable composition of claim 22, wherein the ethylenically unsaturated, hydroxyalkyl functional monomer of 2) is selected from the group consisting of hydroxyethyl acrylate, hydroxyethyl methacrylate, hydroxypropyl acrylate, hydroxypropyl methacrylate, 4-hydroxybutyl acrylate, 4-hydroxybutyl methacrylate, adducts of caprolactone and hydroxyalkyl acrylates and methacrylates and mixtures thereof.

33 (original): The curable composition of claim 32, wherein the ethylenically unsaturated, hydroxyalkyl functional monomer is hydroxyethyl methacrylate, present in an amount of about 10 to about 30 percent by weight, based on the total solid weight of monomers used to prepare the polymer.

34 (original): The curable composition of claim 24, wherein component 4) is selected from the group consisting of n-butyl acrylate, t-butyl acrylate, 2-ethylhexyl acrylate, isobornyl acrylate, cyclohexyl acrylate, t-butyl cyclohexyl acrylate, trimethyl cyclohexyl acrylate, lauryl acrylate, n-butyl methacrylate, t-butyl methacrylate, 2-ethylhexyl methacrylate, isobornyl methacrylate, cyclohexyl methacrylate, t-butyl cyclohexyl methacrylate, trimethyl cyclohexyl methacrylate, lauryl methacrylate, and mixtures thereof.

35 (original): The curable composition of claim 22, wherein the acrylic polymer contains carbamate functionality.

36 (original): The curable composition of claim 22, wherein the vinyl aromatic monomer is present in the acrylic polymer in an amount of about 15 to about 35 percent by weight, based on the total solid weight of monomers used to prepare the polymer.

37 (original): The curable composition of claim 11, further comprising an additional polyol polymer different from the polymer b), selected from acrylic polymers, polyester polymers, polyurethane polymers, and mixtures thereof.

38 (original): The curable composition of claim 37, wherein the additional polyol polymer is present in an amount of up to 30 percent by weight based on the total weight of resin solids in the curable composition.

39 (original): The curable composition of claim 38, wherein the additional polyol polymer is a polyester polymer.

Claims 40-80: (canceled)